Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously presented) A method for assisting a user with the proper printing of postage indicia onto labels in rolls of labels in a label printer, the method comprising:

providing a roll bearing pre-printed labels for printing with postage indicia, the roll having a plurality of label sets, each with a leader portion and a label body, where each leader has a serial number which is the same as a serial number located on its corresponding label body; and

providing interactive computer software that guides a user to confirm that the serial number on the leader portion matches a label serial number in the software.

- 2. (Original) The method of claim 1, wherein the plurality of label sets are positioned on a carrier.
- 3. (Previously presented) The method of claim 1, wherein the method permits the user to correct the serial number in the software prior to printing the postage indicia.
- 4. (Original) The method of claim 1, wherein the software queries the user as to a range of serial numbers to be pre-printed with postage indicia onto a range of label bodies.
- 5. (Previously presented) The method of claim 1, wherein the software has error control features which at least one of warns a user if a serial number entered into software is an invalid number, warns a user if the number of label bodies on the roll of labels to be printed are less than a number of labels a user wishes to print with postage indicia, and will automatically feed a leader portion back into a printer if a user decides not to print labels with postage indicia.

- 6. (Original) The method of claim 1, wherein the leaders of each label set are adjacent to their respective label body.
- 7. (Original) The method of claim 2, wherein the plurality of label set are positioned in a spaced apart orientation on the carrier.
- 8. (Original) The method of claim 2, wherein each leader comprises a separate label element that is positioned on the carrier adjacent to its corresponding label body portion.
- 9. (Original) The method of claim 2, wherein each leader comprises a portion of the carrier adjacent to its corresponding label body upon which is printed the same serial number.
- 10. (Original) The method of claim 1, wherein the serial number is located horizontally on the leader portion, and the serial number is located vertically on the label body.
- 11. (Original) The method of claim 1, wherein the serial number is located horizontally on both the leader portion and the label body.
- 12. (Original) The method of claim 11, wherein the leader portion is divided into a serial number bearing portion and a supplemental information bearing portion.
- 13. (Canceled)
- 14. (Previously presented) A method for assisting a user with the proper printing of postage indicia onto labels in rolls of labels in a label printer, the method comprising:

providing interactive computer software that guides a user to confirm that a serial number on a label in a roll of labels to be printed with postage indicia matches a label serial number in

the software, wherein the method permits the user to correct the serial number in the software prior to printing a label with postage indicia.

15. (Previously presented) A method for assisting a user with the proper printing of postage indicia onto labels in rolls of labels in a label printer, the method comprising:

providing interactive computer software that guides a user to confirm that a serial number on a label header and a label body of a label set in a roll of label sets to be printed with postage indicia matches a serial number in the software, wherein the software queries the user as to a range of serial numbers of labels to be printed with postage indicia.

16. (Previously presented) A method for assisting a user with the proper printing of postage indicia onto labels in rolls of labels in a label printer, the method comprising:

providing interactive computer software that guides a user to confirm that a serial number on a label in a roll of labels to be printed with postage indicia matches a serial number in the software, wherein the software has error control features which one of at least warns a user if a serial number entered into software is an invalid number, warns a user if the number of labels in a roll of labels to be printed is less than a number of labels a user wishes to print with postage indicia, and will automatically send a message to a printer to withdraw a label back into the printer if the user decides not to print labels with postage indicia.

17-24 (Canceled)

25. (Previously presented) A method for assisting a user with the proper printing of value bearing indicia onto labels in rolls of labels in a label printer, the method comprising:

providing a roll bearing pre-printed labels for printing with value bearing indicia, the roll having a plurality of label sets, each with a leader portion and a label body, where each leader has a serial number which is the same as a serial number located on its corresponding label body; and

providing interactive computer software that guides a user to confirm that the serial number on the leader portion matches a label serial number in the software.

26-29 (Canceled)